

Dr. Graner & Partner GmbH, Lochhausener Str. 205, 81249 München

SUNLIFE® Produktions- und Vertriebsgesellschaft mbH
Schierbusch 3

33161 Hövelhof

Lochhausener Str. 205
81249 München
Telefon +49(0)89/863005-0
Telefax +49(0)89/863005-11
e-Mail: info@labor-graner.de
internet: www.labor-graner.de

Munich, 06.09.2024

Analysis Report 2447170

Client:	see above
Object of analysis:	Sunlife Electrolyt effervescent tablet
Batch:	PE 17-020845-1
Package:	Original package
Sample collection:	Client
Date of receipt; order:	26.08.2024
Period of analysis:	26.08.2024 - 06.09.2024
Method of analysis:	Determination of the osmolarity*
Specification:	Osmolarity determined with 1 tablet in 200 ml of water

*external processing of orders

The results refer exclusively to the objects of analysis stated in the report. The report may not be reproduced in whole or in part by any means without prior permission of the analyzing laboratory. The measurement accuracy in the standards is being adhered to. Improper sample containers may cause incorrect or corrupted results. Mixed samples which gave test results in accordance with the acceptance limits may still lead to out-of-specification results when analyzed individually. To ensure test results in accordance with the acceptance limits it is advised to analyze individual samples. Microbiological material is being destroyed immediately after the analysis. If there is no reference of an in-house validation listed next to the above mentioned methods, they have not been validated by Dr. Graner & Partner GmbH.

According to DIN ISO 17025: 2018-03 accredited test laboratory. D-PL-18601-01-00

GMP: DE_BY_04_GMP_2022_0069

Pharmaceuticals, food, cosmetics, consumer goods, water, soil, air, medical products analyses, development, quality control, consulting, expert opinions, official cross-checks, microbiology, drug approval, classification enquiries AMG/LFGB

Munich Local Court No. 84402, Managing Director: Alexander Hartmann

BIC: GENODEFIM07; IBAN: DE30 7016 9464 0000 0699 22

Bank details: Genossenschaftsbank Aubing eG



Analysis report: 2447170
Number of laboratory: 2447170-001
Object of analysis: Sunlife Electrolyt effervescent tablet

06.09.2024

Results of physical/chemical analysis:		
Components	Method	Result
Osmolarity	cryoscopy	286 mOsmol/Liter

Explanations of abbreviations:

Cfu:	colony forming units	TAMC:	total aerobic microbial count
n.d.:	not detectable	TYMC:	total combined yeast/mould count
b.l.q.:	below limit of quantitation	MPN:	most probable number
LOQ:	limit of quantitation	n.D.:	no declaration
n.a.:	not analysed		



Johannes Zwickelpflug
(Food chemist, M.Sc.)